



SEW EASY SPRAYS

Makes Sewing Easier



Sew Easy Sprays will make your sewing go so much easier. Baste your quilt in ten minutes! Stiffen up for machine embroidery with 100% water soluble spray stabilizer. Clean, dust, and lube your equipment to keep it operative and hassle-free. We have Sew Easy Sprays for quilting, applique, apparel sewing and embroidery. Endorsed by guilds and instructors nation wide.

SEW EASY
Makes Sewing Easier



Quilt
Basting
Spray



Quiltprotect
Spray



Fabric
Stabilizer



Fray Stop
Spray



Machine
Embroidery
Adhesive



Quilt Basting Spray

Eliminates tedious hand basiting and pinning.

THE HIGH QUALITY FORMULA OF QUILT BASTING SPRAY OUT-PERFORMS ALL OTHERS.

Save hours of frustration by eliminating the need for basting or pinning. Bonds quilt batting to the top layer and lining. A temporary bond allows the material to be repositioned if necessary - simply reposition the fabric and steam lightly with an iron, no need to apply a second coat. Designed especially for fabric. This adhesive spray bonds quilt batting to the top layer and lining without shifting as you quilt. Non-permanent bond allows the material to be repositioned if necessary.



Designed especially for fabric.

- [Directions](#)

• _____



Quiltprotect Spray

- Ideal for fabric covered furniture, upholstery, bead spreads, cushions, clothing, curtains, etc.
- Suitable for the household, automobile, boat, home and office.
- Do not use on leather, vinyl, wood, metal or carpet.

Directions: Shake well before using remove cap. hold can 6" - 9"; away from surface to be treated. Spray with sweeping motion until surface is moist. Ensure all surface area is covered. Allow to dry for 3 hours. Test suitability of fabric protector on hidden area of surface to be treated before hand.

Item #50030



Protect Your Work From Moisture & Dirt



Fabric Stabilizer Spray

Firms tricot to apply lace, etc. Holds voile, chiffon and soft polyesters firm to sew. Excellent for heirloom sewing. Stiffen applique fabrics without iron on products. Stiffen fabric for fabric painting. Use to hold fabric firm while working. Excellent for woven and knitted fabrics. Sullivans Fabric Stabilizer will stop fabric from fraying till washed out.

DIRECTIONS:

Shake can before use. Spray 6"-9" (15-20cm) from fabric. Spray till fabric is wet. Allow to dry completely. For faster drying use hair dryer or place ironing cloth over treated fabric and iron dry with a hot iron. Use second coat if firmer finish is desired. Drying time varies depending on type of fabric. Remove fabric stabilizer after working by washing in warm to hot water.

TEST ON FABRIC PIECE BEFORE APPLYING TO GARMENT.

Item #00120

Water Soluble Fabric Stabilizer is the Requested Item by Embroideries.





Machine Embroidery Adhesive Spray

- Pressure sensitive. allows repositioning.
- Will not soak through fabric or paper.
- Ideal for all types of sewing and pattern work.
- Great for strip quilting.



Directions: Shake well before using. Spray lightly on the back side of item; applique, quilt template, pattern, etc. Use a sweeping motion from a distance of 8 to 10 inches. Allow to dry completely (3 to 10 minutes). Once dry, you may proceed with your project. MEA can now be stitched/sewn through and will not gum up your needle. MEA will remain tacky for 3 weeks or more. If it is necessary to rejuvenate, simply steam lightly with an iron. The adhesive properties of MEA will diminish over time, especially after washing.

Item #00822

Great for Machine Embroidery



DIRECTIONS: Spray the surface of your lining, moving your hand slowly from side to side to lightly spray the surface of the fabric. Then pick the lining up from the corners and carefully lay it on top of the batting, smoothing the fabric from the inside toward the edges. Flip the fabric over so that the batting is facing up again, to repeat these same steps for the quilt top. Again, spray the wrong side of the fabric lightly with the spray adhesive, then smooth it over the quilt batting. You will have a secure quilt sandwich with absolutely no pins or basting. Best of all, Sullivan's Quilt Basting Spray Adhesive holds the fabric layers together snugly, with no shifting or tunneling. It may be used for quilting either by hand or by machine.

Sullivan's Quilt Basting Spray works equally well for large quilts. You may cut strips of newsprint to place just underneath the edges of the quilt to protect the surface of your floor or table. Rather than spraying the entire top or lining, first layer the fabric on top of the quilt batting. Then fold back half of the quilt top to spray sections at a time, then repeat for the other half.

The bond is not a permanent one, so if you want to reposition your quilt, simply pull the top away from the batting. There is no need to spray another coat; just smooth the fabric down again and steam lightly with an iron. The steam will reactivate the adhesive bond again. The adhesive is so light that you will not be able to tell it is there.

TEST ON FABRIC BEFORE APPLYING TO GARMENT.

ACID FREE & OZONE FRIENDLY

QUILT BASTING ADHESIVE SPRAY

